

FS 2.60/9:14/3

COMMUNICABLE DISEASE CENTER





Vol. 14, No. 38

MEEKLY

Week Ending September 25, 1965

U.S. DEPARTMENT OF HEALTH, EDUCATION AND WELFARE

PUBLIC HEALTH SERVICE

Shasta County, California Another case of human plague, the sixth in the United States this year, has been reported from California. The

patient is a 5-year-old boy who on September 13 travelled with his mother from their home in Viola, Shasta County, on the borders of the Lassen Volcanic National Park, to visit in Santa Rosa. The following day in Santa Rosa the boy first complained of being unwell. By September 16, the boy was suffering from a high fever and general prostration and was taken to see a physician in Santa Rosa. The physician made a diagnosis of septicaemia and arranged for hospitalization.

PLAGUE

CONTENTS OCT 1965 lagur. Shasta County, California 325
Suryefflance Summary
Samonella – July 1965 327
Ippidemiologic Notes and Reports
Chattanaga Tenn 327 Apeptic Meningitis - Chattanooga, Tenn. 327 International Notes - Quarantine Measures 332

> A white blood count of 45,000 was noted on admission to the Santa Rosa Hospital where blood and bone marrow specimens also were obtained for examination and sent to the Berkeley State Laboratory. There were no pulmonary symptoms and a chest X-ray was normal. A course of penicillin was started but there was little improvement over the next few days.

> > (Continued on back page)

CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES (Cumulative totals include revised and delayed reparts through previous weeks)

	38th WEEF	/ ENDED		CUMULATIVE, FIRST 38 WEEKS				
	Soul WEEL	ENDED	MEDIAN	COMODITIVE, THE SO WEEKS				
DISEASE	SEPTEMBER 25,	SEPTEMBER 19,	1960 — 1964			MEDIAN		
	1965	1964		1965	1964	1960 — 1964		
Aseptic meningitiss · · · · · · · · ·	75	72	107	1,413	1,403	1,741		
Brucellosis · · · · · · · · · · · · · · · · · ·		11	11	192	316	316		
Diphtheria	2	3	12	112	184	290		
Encephalitis, primary infectious · ·	74	114		1,296	2,284			
Encephalitis, post-infectious · · ·	7	6		546	689			
Hepatitis, infectious including				1				
serum hepatitis · · · · · · · ·	671	676	898	24.798	28,355	31.872		
Measles · · · · · · · · · · · · · · · · · · ·	624	554	733	240,628	462,304	396,521		
Meningococcal infections · · · · ·	35	34	31	2,351	2,078	1,630		
Poliomyelitis, Total · · · · · · ·		5	29	44	81	565		
Paralytic · · · · · · · · · · · · · · · · · · ·		4	23	35	67	439		
Nonparalytic · · · · · · · · · · · · · · · · · · ·	_	_		7	9			
Unspecified · · · · · · · · · · · · · · · · · · ·	_	1		2	5			
Streptococcal Sore Throat and								
Scarlet fever · · · · · · · · · ·	4.691	4,525	4,004	293,515	299,858	242,932		
Tetanus · · · · · · · · · · · · · · · · · · ·	4	6	1,001	196	206	242,332		
Tularemia · · · · · · · · · · · · · · · · · · ·	3	6		190	246			
Typhoid fever · · · · · · · · · · · · · · · · · · ·	5	12	19	303	303	447		
Rabies in Animals	85	61	61	3,325	3,420	2,840		

NOTIFIABLE DISEASES OF LOW FREQUENCY

	Cum.		Cum.
Anthrax:	7	Rabies in Man:	1
Botulism:	11	Smallpox:	-
Leptospirosis: Ohio-1, Ga1 · · · · · · · · · · · · · · · · · · ·		Trichinosis: · · · · · · · · · · · · · · · · · · ·	77
Malaria: Conn1, Fla1		Typhus—	
Plague: Calif1			
Psittacosis: Md1	35	Rky. Mt. Spotted: N.C1, W.Va1, Tenn1	227
Cholera:	2		

SURVEILLANCE SUMMARY

SALMONELLA - July 1965

During July there were 1,800 recoveries of Salmonellae from human sources and 769 isolations from non-human sources; the comparative figures for June were 2,174 and 315 respectively. The large increase in the non-human total is due partly to delayed reports for June and partly to the addition of the U.S. Food and Drug Administration as a reporting center.

Among the human salmonella isolations there were 65 different serotypes, seven of which accounted for 66 percent of the 1,800 isolations reported. The commonest serotype was S. typhi-murium and S. typhi-murium var. copenhagen. These findings are consistent with previous experience as are the age and sex distribution of persons harboring salmonella. Of special interest are that over 60 percent of the individuals affected were less than 20 years of age, that there is a predominance of males in the groups less than 20 years of age and that there is a greater number of females in the groups of 20 years and more.


A broadly similar distribution of serotypes is also noted among the non-human isolates, and seven of the more commonly encountered serotypes accounted for 53 percent of the total. Again S. typhi-murium and S. typhi-murium var. copenhagen constituted the commonest single serotype.

Several rare serotypes were reported during the month. Salmonella gatow, reported in 1963 from a human source in Louisiana, was recovered from a turtle in Pennsylvania. S. manilae was recovered from fish meal in Indiana whereas previous recoveries of this serotype since 1963 have been from feed or fertilizer in Tennessee and Texas and from domestic fowl in Missouri. A single isolate of S. manilae was also obtained from a man in North Carolina during 1964. S. mission isolated from meat scraps in Mississippi has been reported previously from swine, chicken and buffalo. Two human isolates of S. mission were reported from Florida. S. drypool, reported for the first time in the U.S., was recovered from a cow in Florida.

Figure 1 shows the reported human isolations in the U.S. since 1963.

(Reported by the Salmonella Surveillance Unit, CDC.)

Figure 1.



EPIDEMIOLOGIC NOTES AND REPORTS

ASEPTIC MENINGITIS - Chattanaaga, Tennessee

Between the middle of June and the middle of August, 85 cases of aseptic meningitis due to ECHO virus type-9 were reported in Hamilton County, Tennessee. Information obtained through telephone surveys of medical facilities serving the 283,619 people of the Chattanooga metropolitan area revealed that the majority of patients were in the 1 to 9 age group and none were older than 19 years.

Investigations indicated a county-wide distribution of cases with major concentration in an area within a one-mile radius containing a large low-rental housing project. This area corresponds with census tract No. 3 which has a population of 3,420 persons, of whom 492 are children under 5 years of age. Within the census tract the attack rate was 1.4 percent; outside this area the rate was 0.05 percent. Age specific attack rates in both areas are shown in Table 1. There were 66 cases in males and 19 in females, a male predominance of 3.5 to 1; Figure 2 shows the distribution of cases by sex and by week of onset.

The major clinical features, fever, vomiting, headache and stiff neck, were generally consistent with those of previously described outbreaks due to ECHO virus type-9. There was a low incidence of rash of about 7 percent and neurological complications were few. Two of the patients in the series with such complications developed convulsions, and one of them, a 3-year-old girl, died; neither of these two patients were laboratory confirmed cases of ECHO type-9 infection.

To date, ECHO virus type-9 has been recovered in the State Laboratories from specimens from 35 patients;

Table 1
ASEPTIC MENINGITIS - CHATTANOOGA, TENNESSEE
Age-Specific Attack Rate (Percent)

Age	Housing Project Area (C.T. 3)*	Rest of City (Excluding C.T. 3)	Tota		
	(6121-3)		1000		
< 1	3.2	0.20	0.25		
1- 4	3.3	0.05	0.10		
5- 9	1.0	0.08	0.10		
10-14	0.2	0.02	0.02		
15-19	0.4	0.01	0.02		
20+	0.0	0.00	0.00		
0-19	1.4	0.05	0.07		


*C.T. 3 = Census Tract No. 3.

isolations have been made from cerebrospinal fluid, throat washings, and stool cultures. Further laboratory studies are proceeding.

(Reported by Dr. M.M. Young, Director, Chattanooga-Hamilton County Health Department; Dr. Cecil Tucker, Director of the Division of Preventable Diseases; Dr. George M. Cameron, Director of Laboratories, Tennessee Department of Health; and Dr. Hossein Massoud, Director of Medical Education, Children's Hospital, Chattanooga, Tennessee; and an EIS Officer.)

Figure 2.

REPORTED CASES OF ASEPTIC MENINGITIS
CHATTANOOGA, TENN.--SUMMER, 1965



Morbidity and Mortality Weekly Report

CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES FOR WEEKS ENDED

SEPTEMBER 25, 1965 AND SEPTEMBER 19, 1964 (38th WEEK)

Area	Post-Inf 1965 1965 74 7 - 2 2 16 6 4 6 6	1965	Cotal Case	1964 81 2 1	1965	Paralytic	1964 67 2 1	1965 2 -	Cum. 1965
New England 1965 1964 1988	74 7 - 2 2 16 - 6 4	1965	Cumu1 1965 44	1964 81 2 1	1965 2 - -	Cumu1 1965 35	1964 67 2 1	2	1965
NEW ENGLAND. 2	74 7 - 2 2 16 - 6 4	2	1965 44 - - - -	1964 81 2 1	2 - - -	1965 35 -	1964 67 2 1	2	1965
NEW ENGLAND. 2	74 7 - 2 2 16 - 6 4	2	44 - - - -	81 2 1 -	2 - - -	35 - -	67 2 1	2	
NEW ENCIAND. 2 4 Maine	2 2 16 6 4	-	-	2 1 -	- - -	-	2 1		112
Maine		-	- - -	1 - -	-	-	1	-	
New Hampshire	2 16 - 6 4	-	- - -	-	-	i 1			2
Vermont		-	-	-	_	-		-	-
Massachusetts. 2 1 Rhode Island. - 1 Connecticut. - 1 MIDDLE ATLANTIC. 4 8 New York City. 2 - New York, Up-State. 1 6 New Jersey. - 2 Pennsylvania. 1 - EAST NORTH CENTRAL. 13 11 Ohio. 5 2 Indiana. - - Ilinois. 4 6 Michigan. 3 1 Wisconsin. 1 2 WEST NORTH CENTRAL. 10 5 Minnesota. 8 2 Iowa. - - North Dakota. 2 - South Dakota. - - Nebraska. - - Kansas. - 3 SOUTH ATLANTIC. 5 5 Delaware. - - Maryland. 1 2 Dist. of Columbia. - -	2 16 4	-	-	1		_	-		-
Rhode Island	- 2 16 4	-	_	-	_	_	_		2
MIDDLE ATLANTIC.	16 - 6 - 4 -			-	- 1	-	-	-	-
New York City	6 4 -	1	-	1	-	[-	1	-	-
New York City. 2 - New York, Up-State. 1 6 New Jersey. 2 - Pennsylvania. 1 - EAST NORTH CENTRAL. 13 11 Ohio. 5 2 Indiana - - Illinois. 4 6 Michigan. 3 1 Wisconsin. 1 2 WEST NORTH CENTRAL. 10 5 Minnesota. 8 2 Iowa. - - North Dakota. 2 - South Dakota. - - Nebraska. - - Kansas. 3 3 SOUTH ATLANTIC. 5 5 Delaware. - - Maryland. 1 2 Dist. of Columbia. - - Virginia. - - West Virginia. 1 1	6 4 -	1	4	12	1	3	11	_	5
New Jersey. - 2 Pennsylvania. 1 - EAST NORTH CENTRAL. 13 11 Ohio. 5 2 Indiana. - - Illinois. 4 6 Michigan. 3 1 Wisconsin. 1 2 WEST NORTH CENTRAL. 10 5 Minnesota. 8 2 Iowa. - - North Dakota. 2 - South Dakota. 2 - Nebraska. - - Kansas. 3 3 SOUTH ATLANTIC. 5 5 Delaware. - - Maryland. 1 2 Dist. of Columbia. - - Virginia. - - West Virginia. 1 1	4 -	-	1	1	_	_	1	-	3
Pennsylvania		-	-	9	-	-	8	-	-
EAST NORTH CENTRAL 13 11 Ohio	0 -	1 -	3	2	1 -	3	2	-	- 2
Ohio		-	_	_	_		-	-	2
Indiana	19 -	1	3	18	1	2	15	-	4
Illinois	13 -	-	- 1	2	-	-	2	-	1
Michigan	5 -	_	2	6 5	-	1	5 5	-	2
Wisconsin		1	1	3	1	1 1	2	-	-
Minnesota	1 -	-		2	-		1	-	1
Minnesota	12		10						10
Iowa	13 -	-	10	7 2		7 1	6 2	_	18 7
North Dakota 2 - South Dakota Nebraska Kansas 3 SOUTH ATLANTIC 5 5 Delaware Maryland 1 2 Dist. of Columbia Virginia West Virginia	1 -		4	-	_	2		_	í
South Dakota	2 -	-	1	3	-	-	2	-	1
Nebraska	9 -	-	-	1	-	-	1	-	-
Kansas	- -	-	-	-	-	-	-		7
SOUTH ATLANTIC		_	3 1	1	_	3 1	1	_	1 1
Delaware						-			
Maryland 1 2 Dist. of Columbia Virginia West Virginia 1	2 -	-	1	21	- 1	1	16	-	29
Dist. of Columbia Virginia		_	1	1	_	1	1	-	-
West Virginia 1		-			_	_		_	3
	- -	-	-	-	-	-	-	-	-
		-	-	1	-	-	1	-	-
South Carolina 1 1	1 -		_	10	_		6	-	2 1
Georgia		-	-	1	_	-	1	_	14
Florida 3 1	1 -	-	-	8	-	-	7	-	9
EAST SOUTH CENTRAL 7 13		_	1	6	_	1	5	_	17
Kentucky 3 10			_	_		-	-	_	-
Tennessee 1 1		-	1	3	-	1	2	-	-
Alabama 2 2	- -	-	-	2	-	-	2	-	15
Mississippi 1	- -	-	-	1	-	-	1	-	2
WEST SOUTH CENTRAL 7 2	1 -	_	16	6	_	14	6	1	28
Arkansas 1	1 -	-	-	-	-	-	-	-	2
Louisiana		-	1	-	-	1	-	1	6
0klahoma		-	1 14	2 4	_	1 12	2 4	_]	20
	_		14	-		1.2	7		20
MOUNTAIN 3	14 -	-	5	6	-	3	3	-	-
Montana	1 -	-	-	-	-	-	-	-	-
Idaho				2	_	_	2	_	_
Colorado	12 -	-	_	1	_	_	1	-	_
New Mexico	1 -	-	1	3	-	1	-	-	-
Arizona		-	4	-	-	2	-	-	-
Nevada			_	-	_	-	-	-	_
			_	_					
PACIFIC 24 24		-						1	9
Washington 3 1 1 Oregon	9 5		4	3	-	4	3		3
California 21 23	9 5	-	2	-	-	2	-	1	- 4
Alaska	9 5 - 3 -	-	2 1	1	-	2 1	1	1 -	1 5
Hawaii	9 5	1	2	-	1	2	-	1	1 5 -
Puerto Rico	9 5 3 6 5	-	2 1 1	1 2	-	2 1 1	1 2	1 - -	5

CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES

FOR WEEKS ENDED

SEPTEMBER 25, 1965 AND SEPTEMBER 19, 1964 (38th WEEK) - Continued

	Brucel- losis			tious Hepa g Serum He				ningococca Infections	a 1	Teta	กนธ
Area		Total incl. unk.	Under 20 years	20 years and over	Cumul Tot			Cumul	ative		Cum.
	1965	1965	1965	1965	1965	1964	1965	1965	1964	1965	1965
UNITED STATES	9	671	320	301	24,798	28,355	35	2,351	2,078	4	196
NEW ENGLAND	_	40	19	21	1,468	2,636	3	120	57	_	5
Maine	_	3	2	1	263	838	-	16	5		-
New Hampshire	-	6	4	2	149	208	-	7	1	-	1
Vermont	-	4	2	2	80	331	1	7	2	-	-
Massachusetts Rhode Island	-	18	5	13	581	570	1	40 14	23	-	3
Connecticut	-	6	3	3	167 228	143 546	1	36	17	-	1
MIDDLE ATLANTIC	_	131	60	71	4,399	6,288	3	306	264	-	12
New York City	-	27	8	19	880	974	2	53	35	-	-
New York, Up-State.	-	33	21	12	1,654	2,754	7	87	74	-	4
New Jersey Pennsylvania	-	37	13 18	24 16	845	1,085	1	80 86	91 64	-	1 7
	_	34	10	10	1,020	1,475	_	80	04		,
EAST NORTH CENTRAL	3	148	79	62	4,754	4,462	5	332	283	1	28
Ohio	-	41	19	20	1,305	1,182	1	89	74	-	2
Illinois	2	6 23	2 9	3 13	415 901	388 813	2	42 92	42 72	1	7 13
Michigan	-	50	30	20	1,829	1,764	2	72	65	-	3
Wisconsin	1	28	19	6	304	315	-	37	30	-	3
EST NORTH CENTRAL	3	22	7	14	1,447	1,529	3	122	122	-	17
Minnesota	-	3	-	2	146	169	2	26	29	-	7
Iowa	2	4	1	3	514	228	1	9	6	-	4
Missouri	-	3	1	2	308	380	-	52	56	-	2
South Dakota	1	1	1	-	27 18	57 116	_	11 3	16 1	-	-
Nebraska	_	3	_	3	63	42	_	10	6	_	2
Kansas	-	8	4	4	371	537	-	11	8	-	2
OUTH ATLANTIC	-	51	21	27	2,566	2,665	4	452	407	2	45
Delaware	-	4		4	64	52	-	7	6	-	-
Maryland Dist. of Columbia	-	4	3	1	446	503	1	44	27	-	1
Virginia	-	21	- 8	10	38	47 415	-	9 54	13 46	-	7
West Virginia	_	2	1	1	603 372	394	_	24	32	-	1
North Carolina	-	2	_	2	242	453	1	91	69	-	6
South Carolina	-	5	2	3	119	97	1	59	50	-	6
Georgia	-		_	-	93	75	-	57	62	-	4
Florida	-	13	7	6	589	629	1	107	102	2	20
AST SOUTH CENTRAL	-	66	33	17	1,797	1,968	4	185	170	-	24
Kentucky	-	35	17	2	640	735	2	71	56	-	6
Alabama	_	15 12	7 7	8 5	603 325	680 358	2	60 34	55 35	_	7
Mississippi	-	4	2	2	229	195	_	20	24	-	2
EST SOUTH CENTRAL	1	72	43	23	2,168	2,197	-	307	239	1	44
Arkansas	-	4	3	1	284	213	-	15	21	-	10
Louisiana	1	5	2	3	350	518	-	170	118	-	5
Oklahoma	-	63	38	19	48 1,486	108	-	19 103	9 91	1	1 28
OUNTAIN											
Montana	2	42	15	10	1,400	1,705 150	1 -	73 2	70	_	3
Idaho	_	1	_	_	178	229	_	8	3		_
Wyoming	-	1	1	-	39	53	-	5	5	-	-
Colorado	-	6	4	2	301	454	-	14	12	-	2
New Mexico	- 2	20	9	8	299	248	-	11	28	-	-
Utah	2 -	12	-	-	295 175	380 141	-	16 14	6 7	-	1 -
Nevada	-	-	-	-	8	50	1	3	9	-	-
ACIFIC	-	99	43	56	4,799	4,905	12	454	466	-	18
Washington	-	2	-	2	376	518	-	33	30	-	-,
California	-	7 87	3 38	4 49	3 797	533	1 11	33 363	21 396	-	4 14
Alaska	_	2	2	49	3,797 183	3,582	-	18	396		14
	_	1	-	1	39	98	_	7	12	-	_
Hawaii						13					

Morbidity and Mortality Weekly Report

CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES FOR WEEKS ENDED

SEPTEMBER 25, 1965 AND SEPTEMBER 19, 1964 (38th WEEK) - Continued

								-			
A		Measles		Strept. Sore Th. & Scarlet Fev.	Tular	remia	Typhoid	l Fever	Rabies in Animals		
Area		Cumu1	ative			Cum.		Cum.		Cum.	
	1965	1965	1964	1965	1965	1965	1965	1965	1965	1965	
UNITED STATES	624	240,628	462,304	. 4,691	3	190	5	303	85	3,325	
NEW ENGLAND	19	36,817	16,959	301	-	1	-	4	1	39	
Maine New Hampshire	4	2,796	3,013	18	-	-	-	-	-	4	
Vermont	-	381 1,257	251 2,329	10	-	_	_	-	1	1 31	
Massachusetts	14	19,295	5,314	54	-	1	-	3	-	2	
Rhode Island Connecticut	1	3,938 9,150	1,932 4,120	21 192	-	-	-	1	-	1	
MIDDLE ATLANTIC	49	14,796	52,171	176	_		2	53	3	132	
New York City	21	2,399	15,335	6	-	-	1	26	_	-	
New York, up-State.	10	4,135	12,704	119	-	-	-	13	2	119	
New Jersey Pennsylvania	9 9	2,574 5,688	12,208 11,924	43 8	-	-	1 -	7 7	1	13	
EAST NORTH CENTRAL	14 7	55,802	102,870	384	-	13	-	38	7	503	
Ohio	16	8,883	19,623	12	-	_	-	9	_	257	
IndianaIllinois	10 41	1,838 2,742	22,751 16,622	174 72	-	5	-	8 10	3 1	59 80	
Michigan	32	26,473	28,923	81	-	2	_	6	1	51	
Wisconsin	48	15,866	14,951	45	-	1	-	5	2	56	
WEST NORTH CENTRAL Minnesota	70	16,527	30,251	250	-	23	-	10	12	677	
Iowa	38 14	674 8,997	333 23,318	2 48	-	1 -	-	2	2 1	137 192	
Missouri		2,588	1,019	7	-	18	-	7	3	94	
North Dakota	17	3,702	4,741	134	-	-	-	-	-	42	
Nebraska	1	115 451	28 812	4	_	2 -	-	1	3 -	51 35	
Kansas	NN	NN	NN	55	-	2	-	-	3	126	
SOUTH ATLANTIC Delaware	38	24,731	38,317	747	1	31	-	63	9	454	
Maryland	1	503	410 3,403	11 92	-	_	_	4 18	-	22	
Dist. of Columbia	-	77	354	3	-	-	-	-	-	-	
Virginia	14	3,865	12,707	140	1	8	-	8	2	280	
North Carolina	17 1	13,715 390	8,637 1,161	258 16	-	6	-	3 15	-	21	
South Carolina	1	1,017	4,253	115	-	3	-	8	-	2	
Georgia Florida	4	617 3,386	195 7,197	110	-	14	Ξ	3 4	3 4	57 69	
EAST SOUTH CENTRAL	140	13,911	67,709	967	_	20	1	31	30	724	
Kentucky	93	2,574	18,452	97	-	3	-	9	2	74	
Tennessee	43 3	7,896	24,207 18,363	769 51	-	16 1	1	10 7	4	597 16	
Mississippi	1	2,325 1,116	6,687	50	-	-	-	5	23	37	
WEST SOUTH CENTRAL Arkansas	68	30,886	72,072	392	2	78	-	42	17	532	
Louisiana	1	1,084 106	1,124 105	3 1	1	52 5	_	13	2 ~	79 69	
0k1ahoma	_	203	1,018	2	-	10	-	6	6	112	
Texas	67	29,493	69,825	386	-	11	-	17	9	272	
MOUNTAIN	29	19,717	18,624	788	-	15	1	25	1	73	
MontanaIdaho	10	3,724	3,049	16	-	4	-	1 -	-	5 ~	
Wyoming	4	2,787 845	1,931	64	_	3	_	1	_	_	
Colorado	7	5,634	3,230	341	-	-	-	-	-	9	
New Mexico Arizona	- 6	677	452 6 647	186 57	_	-	- 1	9 12	1	14 43	
Utah	2	1,315 4,531	6,647 2,064	124		8	-	-	-	1	
Nevada	-	204	990	-	-	-	-	2	-	1	
PACIFIC	64	27,441	63,331	686	-	9	1	37	5	191	
Oregon	16 5	7,238	20,013 8,644	105 12	_	5	1	6	1	7 7	
California	28	12,970	33,028	450	-	4	-	26	4	175	
Alaska Hawaii	3	185	1,102	16	-	-	-	-	-	2	
	12	3,812	544	103	-	-	-	1	-	-	
Puerto Rico	19	2,407	6,149	10	-	-	1	8	-	13	

Week No. Table 4. DEATHS IN 122 UNITED STATES CITIES FOR WEEK ENDED SEPTEMBER 25, 1965

(By place of occurrence and week of filing certificate. Excludes fetal deaths)

	By place of	occurrenc	e alla week	1 1111	ing certificate. Excludes	retar death			-
	All Car	uses	Pneumonia	Under		All Ca	uses	Pneumonia	Under
Amon	411	(5	and	l year	Area	A11	65 40045	and	l year
Area	All Ages	65 years	Influenza	A11	Area	Ages	65 years and over	Influenza	A11
	nges	alid Over	All Ages	Causes			did over	All Ages	Causes
NEW ENGLAND:	664	415	19	41	SOUTH ATLANTIC:	1,077	533	39	84
Boston, Mass	221	128	6	15 2	Atlanta, Ga Baltimore, Md		41 122	7	2 28
Bridgeport, Conn Cambridge, Mass	47 17	28 11		1	Charlotte, N. C	44	18	3	5
Fall River, Mass	26	20	_	i	Jacksonville, Fla	50	32	-	1
Hartford, Conn	32	17	1	3	Miami, Fla	80	45	2	4
Lowell, Mass	27	16	-	2	Norfolk, Va	54	25	4	4
Lynn, Mass	12	8	-	-	Richmond, Va	80	40	2	7
New Bedford, Mass	25	21	-	-	Savannah, Ga	39	17	4	4
New Haven, Conn	47	28 50	1 2	2 2	St. Petersburg, Fla Tampa, Fla	81 47	55 26	4	3 7
Providence, R. I Somerville, Mass	73 12	7	_	-	Washington, D. C	200	90	8	15
Springfield, Mass	45	28	2	4	Wilmington, Del	41	22	2	4
Waterbury, Conn	29	17	-	3					
Worcester, Mass	51	36	7	6	EAST SOUTH CENTRAL:	583	295	24	41
				1	Birmingham, Ala	93	46	2	7
MIDDLE ATLANTIC:	3,063	1,749	89	156	Chattanooga, Tenn	59	34	5	4 2
Albany, N. Y Allentown, Pa	56	27	1 2	2	Knoxville, Tenn Louisville, Ky	109	22 54	11	11
Buffalo, N. Y	47 119	26 67	2 2	1 9	Memphis, Tenn	109	53	2	5
Camden, N. J	48	29	4	2	Mobile, Ala	42	17	3	4
Elizabeth, N. J	38	21	-	2	Montgomery, Ala	40	17	1	1
Erie, Pa	41	29	4	1	Nashville, Tenn	98	52	-	7
Jersey City, N. J	45	22	4	1	l '				
Newark, N. J	112	46	2	18	WEST SOUTH CENTRAL:	1,062	552	50	77
New York City, N. Y Paterson, N. J	1,556	890	31	72	Austin, Tex Baton Rouge, La	27 40	18 17	2	5
Philadelphia, Pa	35 438	22 243	2 7	13	Corpus Christi, Tex	34	15	1	6
Pittsburgh, Pa	176	96	3	11	Dallas, Tex	129	62	2	10
Reading, Pa	44	27	4	2	El Paso, Tex	29	13	6	1
Rochester, N. Y	113	74	12	11	Fort Worth, Tex	66	34	2	5
Schenectady, N. Y	29	21	2	-	Houston, Tex	176	91	5	12
Scranton, Pa	25	17	-	-	Little Rock, Ark	70	38	4	3
Syracuse, N. Y	58	33	7	4	New Orleans, La	197	95	12	10
Trenton, N. J Utica, N. Y	36	25	4	2 -	Oklahoma City, Okla San Antonio, Tex	77	49 59	1 2	7 10
Yonkers, N. Y	15 32	12 22	3 2	3	Shreveport, La	116	27	8	3
10	32		-		Tulsa, Okla.	58	34	4	3
EAST NORTH CENTRAL:	2,563	1,398	69	146					
Akron, Ohio	27	16	-	2	MOUNTAIN:	372	237	17	20
Canton, Ohio	30	20	4	1	Albuquerque, N. Mex	40	18	3	4
Chicago, Ill	737	375	21	42	Colorado Springs, Colo.	15	11	3	- 1
Cincinnati, Ohio Cleveland, Ohio	148 220	87 117	2 2	7 9	Denver, Colo Ogden, Utah	97 14	64	3 -	6
Columbus, Ohio	136	77	3	14	Phoenix, Ariz	87	54	5	4
Dayton, Ohio	86	51	1	3	Pueblo, Colo		15	1	2
Detroit, Mich	372	204	11	14	Salt Lake City, Utah	53	34	1	3
Evansville, Ind	36	22	2	1	Tucson, Ariz	44	32	1	1
Flint, Mich	46	24	1	2					
Fort Wayne, Ind	40	20	1	2	PACIFIC:	1,554	871	33	88
Gary, Ind Grand Rapids, Mich	60	30	5	6	Berkeley, Calif Fresno, Calif	15	7	-	1
Indianapolis, Ind	40 180	20 99	1 2	1 12	Glendale, Calif	56 35	27 23	1 -	5
Madison, Wis	30	99	-	8	Honolulu, Hawaii	47	14	-	6
Milwaukee, Wis	109	69	5	6	Long Beach, Calif	59	31	2	5
Peoria, Ill	38	22	-	4	Los Angeles, Calif	494	267	14	32
Rockford, Ill	30	14	3	2	Oakland, Calif	62	26	1	2
South Bend, Ind	38	22	1	5	Pasadena, Calif	38	25	-	1
Toledo, Ohio	95	58	3	4	Portland, Oreg		63	2	3
Youngstown, Ohio	65	42	1	1	Sacramento, Calif San Diego, Calif		38	1 4	3 5
WEST NORTH CENTRAL:	762	454	19	44	San Francisco, Calif	84 205	118	4 -	10
Des Moines, Iowa	42	28	1	'-	San Jose, Calif	28	19	2	4
Duluth, Minn	26	15	_	3	Seattle, Wash	155	96	5	7
Kansas City, Kans	31	11	2	7	Spokane, Wash	58	39	-	3
Kansas City, Mo	105	66	1	2	Tacoma, Wash	34	24	1	1
Lincoln, Nebr	31	24	1	1	Tabal				
Minneapolis, Minn Omaha, Nebr	118	77	4	7	Total	11,700	6,504	359	697
St. Louis, Mo	71	117	1 2	2	Cu	mulative To	tale		
St. Paul, Minn	221 72	117 50	3 2	17 2	including report			revious we	eks
Wichita, Kans	45	22	4	3	ll and the state of the state o		гот р		
	L			-	All Causes, All Ages				
					All Causes, Age 65 and				
*Fotimate based		ont of 1	dalar 1	4.01	Pneumonia and Influenza				166
*Estimate - based on a	verage perc	ent of alv	islonal to	tal.	All Causes, Under 1 Yea	or Age		2/,	919

PLAGUE - (Continued from from page)

On September 20, the attending physician noted a tender swelling in the patient's left groin. A provisional diagnosis of bubonic plague was made and a course of tetracycline and streptomycin started immediately. The next day, because of suppression of urinary output, the patient was transferred to the University of California Medical Center in San Francisco. The patient's condition is now satisfactory and he is making a good recovery.

The specimens submitted from the Santa Rosa Hospital to the Berkeley State Laboratory had yielded, by September 20, isolates of Pastuerella pestis; serological studies have given a hemoagglutination inhibition titer of 1/256 against plague.

A team from the Vector Control Bureau of the California State Health Department is presently in Viola conducting field investigations. On September 27 two carcasses of golden-mantled squirrels (Citellus callospermophilus) were found in close proximity to the child's house in an area where he habitually played. Further field studies are proceeding and laboratory examinations of the squirrels and other material are underway at the California State Laboratory in Berkeley and at the CDC Plague Field Station in California.

(Reported by Dr. Henry Renteln, Chief, Bureau of Communicable Diseases, California State Health Department; and an EIS Officer.)

INTERNATIONAL NOTES - QUARANTINE MEASURES

Immunization Information for International Travel 1963-64 edition-Public Health Service Publication No. 384

The following information should be added to the list of Yellow Fever Vaccination Centers in Section 6:

Page 78

City:

Wichita Falls, Texas

Center:

Wichita Falls City-Wichita

County Health Unit

Clinic Hours:

Thursday, 3:00 - 4:00 p.m.

Fee:

Yes

ERRATUM, Vol. 14, No. 36, P. 310:

The Importance of Measles and Methods for Achieving High Levels of Meosles Immunization in the Community

In sub-paragraph No. 4, the reference (Morbidity and Mortality Weekly Report, Vol. 14, No. 5) should read (Morbidity and Mortality Weekly Report, Vol. 14, No. 7). THE MORBIOITY AND MORTALITY WEEKLY REPORT, WITH A CIRCULA-TION OF 14,000, IS PUBLISHED AT THE COMMUNICABLE DISEASE CENTER, ATLANTA, GEORGIA.

CHIEF, COMMUNICABLE DISEASE CENTER EF, EPIDEMIDLDGY BRANCH TING CHIEF, STATISTICS SECTION CHIEF, SURVEILL ANCE SECTION

EDITOR: MMWR

JAMES L. GODDARD, M.D. A.D. LANGMUIR, M.D. D. A. HENDERSON, M.D.

J.M. MACKENZIE, M.B., F.R.C.P.E.


IN ADDITION TO THE ESTABLISHED PROCEDURES FOR REPORTING MORBIDITY AND MORTALITY, THE COMMUNICABLE DISEASE CENTER WELCOMES ACCOUNTS OF INTERESTING OUTBREAKS DR CASE INVESTIGATIONS WHICH ARE OF CURRENT INTEREST TO HEALT DEFICIALS AND WHICH ARE DIRECTLY RELATED TO THE CONTROL DE COMMUNICABLE DISEASES, SUCH COMMUNICABLE DISEASES, SUCH COMMUNICATIONS SHOULD BE ADDRESSED TD:

THE EDITOR

MORBIDITY AND MORTALITY WEEKLY REPORT
COMMUNICABLE DISEASE CENTER
ATLANTA, GEORGIA 30333

NDTE: THE DATA IN THIS REPORT ARE PROVISIONAL AND ARE BASED DN WEEKLY TELEGRAMS TO THE COC BY THE INDIVIDUAL STATE HEALTH DEPARTMENTS. THE REPORTING WEEK CONCLUDES DN SATURDAY. COMPILED DATA DN A NATIONAL BASIS APE RELEASED DN THE SUCCEEDING FRIDAY.

> HEALTH, Communicable Disease Center PUBLIC HEALTH SERVICE Atlanta, EDUCATION, AND WELFARE Official Business DEPARTMENT OF Georgia



U. S. DEPARTMENT OF H. POSTAGE AND FEES PAID m ₹